



CITY OF O'FALLON, MISSOURI

PURCHASING DEPARTMENT

100 North Main Street

O'Fallon, MO 63366

T: (636) 379-5527

FURNISH AND DELIVER BID

INVITATION TO BID:	25-082	BID ISSUE DATE:	11/07/2025
BID DESCRIPTION:	WATER & SEWER SUPPLIES		
BID OPENING DATE:	11/19/2025	BID OPENING TIME:	2:00 P.M. CST
COPIES REQUIRED:	1 ORIGINAL	BID BOND REQUIRED:	NO

BID RESPONSES MUST BE RECEIVED AND TIME STAMPED NO LATER THAN THE PUBLIC BID OPENING DATE AND TIME (LOCAL TIME) SPECIFIED ABOVE. BIDS WILL BE OPENED AND READ ALOUD AT THAT TIME IN THE FINANCE CONFERENCE ROOM ON THE FIRST FLOOR OF THE MUNICIPAL CENTER. LATE BIDS WILL NOT BE OPENED OR CONSIDERED.

TO ALL PROSPECTIVE BIDDERS:

You are hereby invited to submit your bid for the item(s) to be furnished and delivered, shipped F.O.B. delivered, to the address specified herein on the forms supplied. **Do not staple or submit bid in any type of binder;** binder clips are acceptable.

The original bid, along with the bid bond (if applicable), must be received in a sealed envelope that has your company name and address in the upper left corner and the attached label filled in and pasted on the lower left corner.

All bids are subject to staff analysis. The City of O'Fallon, Missouri reserves the right to accept or reject any and all bids received and waive any and all irregularities.

QUESTIONS SHOULD BE SUBMITTED IN WRITING VIA E-MAIL BY 12:00 P.M. ON 11/12/2025 TO THE PURCHASING AGENT. QUESTIONS WILL ONLY BE ANSWERED VIA ADDENDUM BY END OF DAY ON 11/14/2025. Addendum information is available over the Internet at www.ofallonmo.gov . We strongly suggest that you check for any addenda a minimum forty-eight hours (48) in advance of the bid deadline.	PURCHASING AGENT: CHRISTINE GRABIN	
	PHONE: E-MAIL:	636.379.5527 CGrabin@ofallonmo.gov

BIDS MUST BE DELIVERED AND TIME STAMPED, PRIOR TO THE PUBLIC BID OPENING DATE AND TIME, TO:	CITY OF O'FALLON ATTN: CHRISTINE GRABIN, PURCHASING AGENT 100 NORTH MAIN STREET O'FALLON, MO 63366
---	---

FULL NAME OF BIDDER	
BID CONTACT PERSON	
TELEPHONE NUMBER	

FACSIMILE AND/OR E-MAIL TRANSMITTED BIDS WILL NOT BE ACCEPTED

INSTRUCTIONS TO BIDDERS

BID REQUIREMENTS:

The City of O'Fallon, Missouri (the "City") **requires** all bids be submitted on the blank bid form furnished with these contract documents and shall conform to the terms and conditions set forth in the "Instructions to Bidders", "General Conditions" and "Special Conditions" of the contract. Please make and retain a copy of this bid for your records. The bid must be enclosed in a sealed envelope bearing the bid number and the printed title of the bid. Bidders must sign, in ink, the bid form and all other documents where indicated.

Where applicable, the Bidder shall furnish with the bid, one set of all available literature pertaining to the equipment and/or material to be furnished under the bid.

Bidder shall acknowledge receipt of each addendum issued in the space provided on the bid form.

The total price quoted by the Bidder must be the total cost delivered to the location(s) stated in the "Special Conditions" or "Specifications". Bidder must not qualify his bid by stating a F.O.B. location other than such stated location(s).

In the specifications, whenever an article or material is defined by brand name, the name and catalog number of a particular manufacturer, vendor or a limited description, the term "OR APPROVED EQUAL" is written. Any reference to a particular manufacturer's product either by brand name or limited description is only for purposes of setting a standard of performance, quality, composition, construction, or size. If there is any deviation in the pack, source, quality, etc., of an item bid, from that prescribed in the specifications, the appropriate line in the specifications will be ruled out and the substitution clearly indicated.

However, if "OR APPROVED EQUAL" is not written and you cannot bid the specified item, the Bidder may submit an alternate bid. The City will consider the bids covering the specified article or material first.

The City, for cost effective measures, standardizes on specific items; those bids will contain the language "no substitution," and any alternative will not be considered.

ALTERNATE/EQUAL BIDS:

The City recognizes the expertise provided by many bidders and encourages creativity in bidding. Alternates may be considered if the bid submitted clearly indicates what will be furnished and how it will benefit the City. Alternates will be compared to the lowest responsive, responsible bid as specified.

The City reserves the right to approve any material the Bidder proposes to furnish which contains variations from specification requirements, but which may substantially comply.

BONDS:

No bonds are required to be submitted with this bid.

CONTRACT AWARD INFORMATION:

Award notification will be sent to the vendor receiving the award via mail or fax.

Response summaries will be available at www.ofallonmo.gov under Bid Opportunities. This summary of information will include bids that were delivered by the required bid opening date and time.

CITY OF O'FALLON, MISSOURI

CONTRACT DOCUMENT COMPONENT PARTS:

The contract documents herein named include all of the following component parts, all of which are fully a part of this contract as if herein set out verbatim, or, if not attached, as if hereto attached.

- 1) Instructions to Bidders
- 2) General Conditions
- 3) Special Conditions
- 4) Bid Form
- 5) References
- 6) Specifications
- 7) Pricing/Signatures
- 8) Any and all addenda to the foregoing

All documents are or will be on file in the office of the City Clerk, City of O'Fallon, MO, 100 North Main, O'Fallon, MO 63366.

DEVIATIONS AND EXCEPTIONS:

Deviations and exceptions shall be described fully, on the Bidder's letterhead, signed, and attached to the Bid Form. In the absence of such statement, the bid shall be considered as if submitted in strict compliance with all terms, conditions, and specifications; the Bidder shall be held liable. Bidders are cautioned to avoid making deviations and exceptions to the specifications, which may result in rejection of their bid.

EXAMINATION BY BIDDER:

The Bidder shall, before submitting his bid, carefully examine the bid, specifications, and contract documents.

If his bid is accepted, he will be responsible for all errors in his bid resulting from his failure or neglect to comply with these instructions.

Unless otherwise provided in the SPECIAL CONDITIONS, when the specifications include information pertaining to preliminary investigations made by the City, such information represents only the opinion of the City as to the location, character or quantity of the materials encountered. That information is only included for the convenience of the Contractor. The City assumes no responsibility whatsoever with respect to the sufficiency or accuracy of the information.

FACSIMILE/E-MAIL TRANSMITTALS:

Facsimile and/or e-mail transmitted bids will not be accepted by the City.

INDEMNITY:

The Contractor shall, at all times, fully indemnify, hold harmless, and defend the City and its officers, members, agents, and employees from and against any and all claims and demands, actions, causes of action, and cost and fees of any character whatsoever made by anyone whomsoever on account of or in any way growing out of the performance of this contract by the Contractor and its employees, or because of any act or omission, neglect or misconduct of the Contractor, its employees and agents or its subcontractors including, but not limited to, any claims that may be made by the employees themselves for injuries to their person or property or otherwise.

Such indemnity shall not be limited by reason of the enumeration of any insurance coverage herein provided.

Nothing contained herein shall be construed as prohibiting the City, its directors, officers, agents, or its employees, from defending through the selection and use of their own agents, attorneys and experts, any claims, actions or suits brought against them.

The Contractor shall likewise be liable for the cost, fees and expenses incurred in the City's or the Contractor's defense of any such claims, actions, or suits.

CITY OF O'FALLON, MISSOURI

INTERPRETATION OF CONTRACT DOCUMENTS:

If a potential Bidder is uncertain as to the meaning of any part of the specifications or other contract documents, the bidder is expected to submit questions to the Purchasing Agent. The Purchasing Agent is the point of contact for this bid. All communications regarding this bid packet must be directed to the Purchasing Agent. All contact with the City should be channeled through the Purchasing Agent. No contact with other City employees, officials, or City Council members is to be made by responding proposers throughout the entire process.

If a question can be answered by directing the questioner to a specific section of the bid packet, then the Purchasing Agent may answer the question over the telephone. Other questions may be more complex and may require a written amendment to the specifications. The Purchasing Agent will make this determination. Oral communication is considered unofficial and non-binding on the City. If an amendment to the specifications is issued, it will be provided to all offerors that were issued a copy of the bid packet and to those that have requested a copy of the bid packet from the Purchasing Agent.

Christine Grabin, Purchasing Agent
E-mail: CGrabin@ofallonmo.gov

Only questions answered by formal written addenda will be binding. Oral and interpretations or clarifications will be without legal affect.

PREPARATION OF BIDS:

The Bidder shall return his bid on the attached bid forms. **Bids must be returned with all pages intact.** Please make and retain a copy of this bid for your records. Unless otherwise stated, all blank spaces on the bid page or pages, applicable to the subject specification, shall be correctly filled in. Either a unit price or a lump sum price, or both as the case may be, shall be stated for each and every item, either typed in or printed in ink, in figures, and if required in words. Bidder shall acknowledge receipt of each addendum issued in the space provided on the bid form.

All prices quoted by the Bidder shall be F.O.B. delivered and shall include any and all freight costs to the delivery location(s) specified. The Bidder must not qualify the bid by stating F.O.B. a location other than such stated location(s).

When a bid consists of a number of items, prices must be submitted for all items, unless otherwise directed in the Special Conditions.

Where unit prices are to be bid, and/or where bids are to be made on more than one item, the Bidder shall extend the unit price(s) bid in the places provided on the pricing pages for the approximate quantities, shall compute the total amount of the bid and shall indicate same on the bid page. The Bidder must bid in accordance with the unit(s) of measure called for. If an item is listed by each, the bid price must be entered by each, not dozen or hundred. All extensions and total sums are subject to verification by the City and the correct extensions and sums will be used in the comparison of bids.

Where unit prices are requested, the quantities stated are approximate only. The quantities for all items on which bids are to be received on a unit price basis, will not be used in establishing final payment due the Contractor. Bids will be compared on the basis of number of units stated in the Bid Pricing Section. Contract payment for unit price items will be based on the actual number of units installed in the completed work within the proposed scope of work.

All extensions and total sums are subject to verification by the City and the correct extensions and sums will be used in the comparison of bids. If a discrepancy exists between the unit prices and totals, the unit prices shall prevail. If a discrepancy exists between the total base bid and the true sum of the individual bid items, the true sum shall prevail.

In certain cases, amounts are to be shown in both words and figures. When discrepancies occur between the "Written in Words" and the "In Figures" amounts for the total lump sum bid amount, the "Written in Words" shall govern.

Bidders are warned against making any erasures or alterations of any kind, and bids, that contain omissions, erasures, conditions, alterations, or additions not called for may be rejected. The bidder must fill in all blanks. Use "N/A" or "None" where applicable.

CITY OF O'FALLON, MISSOURI

The bid shall be signed by a company officer empowered to bind the company. Failure to sign the bid may cause the bid to be determined to be non-responsive and the bid may be rejected.

SUBMISSION OF BIDS:

All bids must be received in sealed envelopes that have your name and address in the UPPER left corner and the attached label filled in and pasted on the LOWER left corner.

Bids mailed "EXPRESS MAIL" must have bid number and due date on the outside of the EXPRESS MAIL envelope.

The Bidder shall be responsible for delivery of bids to the Purchasing Agent before the date and hour set for the opening of bids. The City assumes no responsibility for delays caused by any delivery service. Postmarking by due date will not substitute for actual receipt by the City. Late bids will not be opened or considered.

END OF INSTRUCTIONS TO BIDDERS

GENERAL CONDITIONS

ADDENDUM AND SUPPLEMENT TO REQUEST:

If it becomes necessary to revise any part of this request or if additional data is necessary to enable the exact interpretation of provisions of this request, revisions will be provided in the form of an Addendum. If revisions are necessary after any mandatory Pre-Bid conference, the revisions will be provided only to those Contractors who will have attended the Pre-Bid conference.

CHANGES:

All changes to this Bid Document shall be amended in written form (Addenda). The Purchasing Agent prior to the scheduled bid opening shall issue such amendments.

The City reserves the right to make any desired change in the specifications after the same shall have been put under contract; but the change so made, with the price to be added or deducted from the contract price, therefore, shall be agreed upon in advance between City and the successful Contractor.

The City shall issue to the successful Contractor a written change order to the original contract; such change orders shall be binding upon both parties thereto and shall in no way invalidate or make void the terms of the original contract not modified by such change.

No claim based on oral changes will be allowed.

CONTRACTOR PERFORMANCE:

The Instructions to Bidders, Bid Form, General Conditions, Special Conditions, contract specifications and attached exhibits shall together constitute the Contract. The Contractor hereby asserts that it has read the specifications, and that it is thoroughly informed and familiar as to their contents and requirements. All items shall be supplied in strict accordance with the specifications. The Contractor's performance under the terms of this Contract shall be to the satisfaction of the City.

DISCLAIMER:

RESERVED BY OWNER

The City reserves the right to reject any or all bids failing to meet the City's specifications or requirements and to waive technicalities. If in the City's opinion, the lowest bid is not the most responsible bid, considering value received for monies expended, the right is reserved to make awards as determined solely by the judgment of the City. In determining the lowest responsible bidder, the City shall take into consideration the qualities of the articles supplied, their conformity with the specifications, and their suitability to the requirements of the City and the delivery terms. Intangible factors, such as the Contractor's reputation and past performance, will also be weighed.

The Contractor's failure to meet the mandatory requirements will result in the disqualification of the Contractor's bid from further considerations.

The City further reserves the right to reject all bids and obtain goods or services through intergovernmental or cooperative agreements.

Submission of a bid confers no rights on the Contractor to a selection or to a subsequent contract. This Invitation to Bid process is for the City's benefit only and is intended to provide the City with competitive information to assist in selection of services. All decisions on compliance, evaluation, terms and conditions shall be made solely at the City's discretion and shall be made to favor the City.

DRUG FREE WORKPLACE:

The Contractor (whether an individual or company) agrees to provide a drug free workplace.

ENDORSEMENTS:

Contractor shall not use the City in any form of endorsement to any third-party without the Buyer's written permission.

CITY OF O'FALLON, MISSOURI

EXECUTION OF CONTRACT:

The bidder to whom the contract has been awarded shall sign one (1) copy of the contract and return it to the City within seven (7) calendar days after receipt of the contract. Failure to execute the contract and return it to the City within seven (7) calendar days after receipt of the contract shall be cause for the annulment of the contract award and the forfeiture of the bid security to the City.

If circumstances beyond the Contractor's control prohibit a timely execution of this contract, prior written approval must be requested by the Contractor and receive approval from the City for an extension to the delivery date.

SAFETY DATA SHEETS:

If applicable, Contractor shall furnish and submit, to the City, Safety Data Sheets for their products upon award of Contract.

F.O.B.:

All goods are to be shipped prepaid, F.O.B. destination. Shipments sent C.O.D. without City's written consent will not be accepted and will at Contractor's risk and expense, be returned to Contractor. Unauthorized shipments are subject to rejection and return at Contractor's expense.

HOLDING OF BIDS:

Contractor may withdraw their bids at any time prior to the time specified as the closing time for the receipt of bids. However, no Contractor shall withdraw or cancel his bid for a period of ninety (90) calendar days after said closing time for the receipt of bids.

LAW GOVERNING:

All State of Missouri and/or Federal Laws shall be hereby specifically made a part of this contract as set forth herein.

LIENS, CLAIMS, AND ENCUMBRANCES:

Contractor warrants and represents that all the goods and materials ordered herein are free and clear of all liens, claims, or encumbrances of any kind.

MISCELLANEOUS REQUIREMENTS:

The City will not be responsible for any expenses incurred by the Contractor in preparing and submitting a Bid. All Bids shall provide a straightforward, concise delineation of your capabilities to satisfy the requirements of this request. Emphasis should be on completeness and clarity of content.

The Contractor is prohibited from assigning, transferring, conveying, subletting, or otherwise disposing of this agreement or its rights, title of interest therein or its power to execute such agreement to any other person, company or corporation without the previous consent and approval in writing by the City.

NON-DISCRIMINATING:

The Contractor, its employees, and subcontractors, agree not to commit unlawful discrimination and agree to comply with applicable provisions of the, the U.S. Civil Rights Act and Section 504 of the Federal Rehabilitation Act, and rules applicable to each.

Firm shall comply with Section 285.525 – 285.550 RSMo regarding enrollment in a federal work authorization program. **A signed, notarized affidavit (attached) and supporting documentation affirming enrollment in a federal work authorization program must be submitted with proposal. Failure to comply with this provision may result in rejection of proposal.**

E-VERIFY:

Company shall be E-Verify compliant and shall provide documentation to support this requirement within the proposal including the memorandum of understanding (MOU) and the electronic signature page completed in its entirety.

NON-EXCLUSIVITY:

Nothing herein is intended nor shall be construed as creating any exclusive arrangement with Vendor.

CITY OF O'FALLON, MISSOURI

PATENTS:

Contractor undertakes and agrees to defend at Contractor's own expense, all suits, actions, or proceedings against buyer, in which City, and of Contractor's suppliers, contractors, distributors or dealers, or the users of any of Contractor's products are made defendants for actual or alleged infringement of any U.S. or foreign letters patent resulting from the use or sale of the items purchased hereunder. Contractor shall inform the City whenever infringement will result from Contractor's adherence to specifications supplied by the City or by an authorized City Representative. Contractor further agrees to pay and discharge any and all judgments or decrees, which may be rendered in any such suit, action or proceedings against City therein.

PAYMENT:

The goal of the City is to pay properly submitted Contractor invoices within thirty (30) days of receipt, providing goods have been delivered, approved, and accepted by an authorized City Representative. Original invoices must be presented for payment in accordance with instructions contained on the Purchase Order including reference to Purchase Order number and submitted to the correct address for processing.

TAX:

The City is not responsible for and will not pay local, Federal Excise Tax or Missouri Sales Tax. A copy of the exemption letter is available upon written request.

TERMS/CANCELLATION AND DAMAGES:

This contract may be terminated by either or both parties upon thirty (30) days written notice or upon mutual agreement of both parties.

If the City because of the Contractor's breach terminates this Contract, the City shall have the right to purchase equipment elsewhere and to charge the Contractor with any additional cost incurred.

Notwithstanding the above, the Contractor shall not be relieved of any liability to the City for damages sustained by the City by virtue of any breach of this contract by the Contractor and the City may withhold any payments to the Contractor until such time as the amount of such damages due the City from the Contractor shall be determined.

TRANSFER OF OWNERSHIP OR ASSIGNMENT:

The terms and conditions of this contract shall be binding upon and shall inure to the benefit of the parties hereto and their respective successors and assigns.

Prior to any sales or assignments, the City must be notified and approve same in writing. The City shall have right of first refusal.

END OF GENERAL CONDITIONS

SPECIAL CONDITIONS

DELIVERY REQUIREMENTS:

In this contract, time is of the essence. All freight and delivery charges are to be included in the costs entered on the bid pricing page. Under no circumstances will the City be liable for additional delivery charges.

The successful bidder's performance under the terms and conditions of this contract shall be satisfactory to the City.

All deliveries shall be made between the hours of 7:00 a.m. and 3:00 p.m. unless other arrangements have been made.

PRICING:

The pricing stated by the bidder in the bid documents shall remain firm for a one (1) year period from the start date of the contract. No price increases will be allowed for the duration of the contract. Price decreases are allowed at any time.

RENEWAL & EXTENSION:

The successful bidder will be awarded a one (1) year agreement effective the date of award. Prices must not be increased for the entire agreement period. At the City's option, the agreement may be renewed for one (1) additional one (1) year period at the terms of the original contract, executable solely at the discretion of the owner upon acceptance by the company. **In no event shall the term plus renewal exceed two (2) years.**

The items purchased under this agreement may be subject to a price increase at the time of renewal, by mutual agreement. Request for a price increase must be presented to the City at least sixty (60) days before the expiration of the current agreement. If a request for increase is not presented, the prices will remain. Price decreases are allowed at any time.

END OF SPECIAL CONDITIONS

INSURANCE REQUIREMENTS

GENERAL:

The Vendor shall respond to these specifications as an independent contractor and not as an employee of the City of O'Fallon.

WORKER'S COMPENSATION INSURANCE:

The Vendor shall procure and shall maintain during the Term of the Agreement, Worker's Compensation Insurance for all of its employees to be engaged and perform work under the Agreement, and in case such work is sublet, the Concessionaire shall require the subcontractor similarly to provide Worker's Compensation Insurance for all such employees to be engaged by the Vendor for such work unless such employees are covered by the protection afforded by the Vendor's Worker's Compensation Insurance. In the event any class of employees engaged in hazardous work under the Agreement is not protected under the Worker's Compensation statute, the Vendor shall provide and shall cause such subcontractor to provide adequate Employer's Liability insurance for the protection of its employees not otherwise protected.

Commercial General Liability Insurance:

The Vendor shall carry public and property damage insurance which shall include bodily injury and accidental death to any person and subject at the minimum limits set forth below:

Liability Limits	\$3,500,000/Per Occurrence
	\$3,500,000/General Aggregate
	\$3,500,000 Products/Completed Operations aggregate
	An umbrella/excess liability policy can be used to attain the required limits.

Commercial Automobile Liability Insurance:

The Vendor shall maintain Commercial Automobile Liability Insurance Coverage in the amounts not less than the minimum limits set forth below:

Bodily Injury and Property Damage	\$3,500,000 Combined Single Liability Limit
	An umbrella/excess liability policy can be used to attain the required limits.

OTHER INSURANCE PROVISIONS/ENDORSEMENTS:

An original Certificate of Insurance from the company or authorized agent of record must be furnished to the City, provide that the City of O'Fallon is an "Additional Insured" on the Vendor's Commercial General Liability policy during the Term of the Agreement, and a copy of such "Additional Insured" endorsement must accompany the insurance certificate. Both the General Liability and Automobile Liability insurance policies are to contain, or be endorsed to contain, the following provision: Vendor and its insurer shall waive any right of subrogation against the City. This requirement of insurance does not limit the Vendor's liability under the Agreement in any manner.

CHANGES IN INSURANCE COVERAGE:

The Contractor shall notify the City of changes in insurance coverage in writing within thirty (30) days.

INDEMNITY:

The Contractor shall, at all times, fully indemnify, hold harmless, and defend the City and its officers, members, agents, and employees from and against any and all claims and demands, actions, causes of action, and cost and fees of any character whatsoever made by anyone whomsoever on account of or in any way growing out of the performance of this contract by the Contractor and its employees, or because of any act or omission, neglect or misconduct of the Contractor, its employees and agents or its subcontractors including, but not limited to, any claims that may be made by the employees themselves for injuries to their person or property or otherwise. Such indemnity shall not be limited by reason of the enumeration of any insurance coverage herein provided.

Nothing contained herein shall be construed as prohibiting the City, its directors, officers, agents, or its employees, from defending through the selection and use of their own agents, attorneys and experts, any claims, actions or suits brought against them.

The Contractor shall likewise be liable for the cost, fees and expenses incurred in the City's or the Contractor's defense of any such claims, actions, or suits.

CITY OF O'FALLON, MISSOURI

The Contractor shall be responsible for any damages incurred as a result of its errors, omissions or negligent acts and for any losses or costs to repair or remedy construction as a result of its errors, omissions or negligent acts.

INSURANCE RATING:

All of the above-specified types of insurance shall be obtained from companies that have at least an A-VII rating in Best's Guide or the equivalent.

SURVIVAL OF INDEMNIFICATION:

The indemnification described above shall not be limited by reason of the enumeration of any insurance coverage herein provided, and it shall survive the termination of the Contract for claims arising from events occurring while the Contract is in force.

NOTICE OF LAWSUIT:

Within sixty (60) days of service of process, the City shall notify the Contractor of any lawsuit involving the indemnification provided for above. Failure to provide such notice shall not relieve the Contractor of its obligation to provide indemnification. However, the City shall be responsible for any additional costs of defense incurred due to their failure to provide such notice within sixty (60) days.

CHOICE OF LEGAL COUNSEL:

The contractor shall provide coverage as stipulated in the contract. In the event of a proceeding, the City retains the right to approve legal counsel for claims brought against the City.

DISPUTES:

Any dispute arising out of this agreement will be resolved under the laws of the State of Missouri.

END OF INSURANCE REQUIREMENTS

CITY OF O'FALLON, MISSOURI

BID FORM **25-082 WATER & SEWER SUPPLIES**

(PLEASE TYPE OR PRINT THE FOLLOWING INFORMATION)

Full Name of Bidder	
Main Business Address	
City, State, Zip Code	
Telephone Number	
Fax Number	
Bid Contact Person	
Email Address	

TO: Christine Grabin, Purchasing Agent

The undersigned, being duly sworn, certifies that he is:

☐ the Owner/Sole Proprietor ☐ a Member of the Partnership ☐ an Officer of the Corporation ☐ a Member of the Joint Venture

herein after called the Bidder and that the members of the Partnership or Officers of the Corporation are as follows:

(President or Partner)

(Vice-President or Partner)

(Secretary or Partner)

(Treasurer or Partner)

Further, as Contractor, declares that the only person or parties interested in this bid as principals are those named herein; that this bid is made without collusion with any other person, firm or corporation; that he has fully examined the proposed forms of agreement and the contract specifications for the above designated purchase, all of which are on file in the office of the City Clerk, 100 North Main Street, O'Fallon, Missouri 63366, and all other documents referred to or mentioned in the contract documents, specifications and attached exhibits, including Addenda No. _____, _____, and _____ issued thereto;

Further, the Contractor proposes and agrees, if this bid is accepted, to provide all necessary machinery, tools, apparatus, and other means of construction, including transportation services necessary to furnish all the materials and equipment specified or referred to in the contract documents in the manner and time therein prescribed.

Further, the undersigned certifies and warrants that he is duly authorized to execute this certification/affidavit on behalf of the Bidder and in accordance with the Partnership Agreement or by-laws of the Corporation, and the laws of the State of Missouri and that this Certification is binding upon the Bidder and is true and accurate. Further, the undersigned certifies that the Bidder is not barred from bidding on this contract as a result of a violation of either bid rigging or bid-rotating.

The affiant deposes and says that he has examined and carefully prepared this bid and has checked the same in detail before submitting this bid, and that the statements contained herein are true and correct.

If a Corporation, the undersigned further certifies that the recitals and resolutions attached hereto and made a part hereof were properly adopted by the Board of Directors of the Corporation at a meeting of said Board of Directors duly called and held and have not been repealed, nor modified and that the same remain in full force and effect. *(Attach a copy of the corporate resolution granting the individual executing the contract documents authority to do so.)*

Finally, the Contractor agrees to do all other things required of the Contractor by the contract documents, and that he will take in full payment therefore the sums set forth in the bidding schedule.

Signature of Bidder authorizes the City to verify business references.

CITY OF O'FALLON, MISSOURI

SIGNATURE AND IDENTITY OF BIDDER

The undersigned states that the correct LEGAL NAME and ADDRESS of (1) the individual Bidder, (2) each partner or joint venture (whether individuals or corporations, and whether doing business under a fictitious name), or (3) the corporation (with the City in which it is incorporated) are shown below; that (if not signing with the intention of binding himself to become the responsible and sole contractor) he is the agent of, and duly authorized in writing to sign for the Bidder or Bidders; and that he is signing and executing this (as indicated in the proper spaces below) as the proposal of a

() sole individual () partnership () joint venture

() corporation, incorporated under laws of State of _____

Date Business Established: _____

Dated: _____

Name of individual, all partners,
or joint ventures:

Address of each:

doing business under the name of:

Address of principal place of business in Missouri

(If using a fictitious name, show
this name above in addition
to legal names)

(If a corporation, show its name above)

ATTEST: (SEAL)

Secretary

Title

(NOTE: If the Bidder is doing business under a FICTITIOUS NAME, the Proposal shall be executed in the legal name of the individual, partners, joint ventures, or corporation, with the legal address shown, and REGISTRATION OF FICTITIOUS NAME filed with the Secretary of State, as required by Sections 417.200 to 417.230, RS Mo. If the Bidder is a CORPORATION NOT ORGANIZED UNDER THE LAWS OF MISSOURI, it shall procure a CERTIFICATE OF AUTHORITY TO DO BUSINESS IN MISSOURI, as required by Section 351.570 and following, RS Mo. A CERTIFIED COPY of such Registration of Fictitious Name or Certificate of Authority to do Business in Missouri shall be included with this bid.

CITY OF O'FALLON, MISSOURI

REFERENCES

The bidder must list four (4) references, listing firm name, address, telephone number and contact person to whom they have provided similar equipment, material or services for a period of not less than six (6) months.

The bidder verifies that they have provided equipment, material, or services described in this contract to the following parties with needs similar to that of City and authorizes the City to verify references of business and credit at its option.

COMPANY NAME:	
ADDRESS:	
CONTACT PERSON:	
TELEPHONE NUMBER:	

COMPANY NAME:	
ADDRESS:	
CONTACT PERSON:	
TELEPHONE NUMBER:	

COMPANY NAME:	
ADDRESS:	
CONTACT PERSON:	
TELEPHONE NUMBER:	

COMPANY NAME:	
ADDRESS:	
CONTACT PERSON:	
TELEPHONE NUMBER:	

State the number of years in business _____ State the current number of personnel on staff _____

CITY OF O'FALLON, MISSOURI

ANTI-COLLUSION STATEMENT

STATE OF MISSOURI

CITY/COUNTY OF _____

_____ being first duly sworn, deposes and says that he is

Title of Person Signing

of _____

Name of Bidder

that all statements made and facts set out in the proposal for the above project are true and correct; and the bidder (The person, firm, association, or corporation making said bid) has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with said bid or any contract which may result from its acceptance.

Affiant further certifies that bidder is not financially interested in, or financially affiliated with, any other bidder for the above project.

BY _____

BY _____

BY _____

SWORN to before me this _____ day of _____ 20 ____.

Notary Public

My Commission Expires _____

CITY OF O'FALLON, MISSOURI

PREFERENCE IN PURCHASING PRODUCTS

DATE: _____

THE BIDDER'S ATTENTION IS DIRECTED TO Section 34.076 RSMo 2000 which gives preference to Missouri corporations, firms, and individuals when letting contracts or purchasing products.

Bids received will be evaluated on the basis of this legislation.

All vendors submitting a bid must furnish all information requested below.

FOR CORPORATIONS:

State in which incorporated: _____

FOR OTHERS:

State of domicile: _____

FOR ALL VENDORS:

List address of Missouri offices or places of business:

THIS SECTION MUST BE COMPLETED AND SIGNED:

FIRM NAME: _____

ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____

BY (signature required): _____

Federal Tax ID #: _____ if no Federal Tax ID # list SS #: _____

For bid to be considered, the Preference in Purchasing Products form must be filled out and submitted for each bid and dated in the current calendar year.

CITY OF O'FALLON, MISSOURI

MISSOURI DOMESTIC PRODUCTS PROCUREMENT ACT

The bidder's attention is directed to the Missouri Domestic Products Procurement Act, Sections 34.350 to 34.359, RsMO, which requires all manufactured goods or commodities used or supplied in the performance of this contract or any subcontract to be manufactured or produced in the United States.

Section 34.355, RsMO, requires the vendor or contractor to certify his compliance with Section 34.353 and, if applicable, Section 34.359, RsMO, at the time of bidding **and** prior to payment. Failure to comply with Section 34.353, RsMO, during the performance of the contract **and** to provide certification of compliance prior to payment will result in nonpayment for those goods or commodities.

Section 34.353.2, RsMO, specifies that it does not apply where the total contract is less than Twenty-Five Thousand Dollars (\$25,000.00). If your total bid is Twenty-Five Thousand Dollars (\$25,000.00) or more, you **must** complete this form as directed below.

Failure to complete and return this document with this bid will cause the State to presume the manufactured goods or products listed in the bid are not manufactured or produced in the United States, and the bid will be evaluated on that basis. Please read the certification appearing below on this form.

[] If all the goods or products specified in the attached bid which the bidder proposes to supply to the State shall be manufactured or produced in the "United States" as defined in Section 34.350, RsMO, check the box at left.

[] If only one item of any particular goods or products specified in the attached bid is manufactured or produced in the "United States" as defined in Section 34.350, RsMO, check the box at left and list the items (or item number) here:

[] If any or all of the goods or products specified in the attached bid which the bidder proposes to supply to the State are **not** manufactured or produced in the "United States" as defined in Section 34.350, RsMO, then: (a) check the box at left; (b) list below, by item (or item number), the country other than the United States where each good or product is manufactured or produced; and (c) check the boxes to the left of the paragraphs below if applicable and list the corresponding items (or item numbers) in the spaces provided.

Item (or item number)	Location Where Item Manufactured or Produced

(attach an additional sheet if necessary)

[] The following specified goods or products cannot be manufactured or produced in the United States in sufficient quantities or in time to meet the contract specifications. Items (or item numbers): _____

[] The following specified goods or products must be treated as manufactured or produced in the United States, in accordance with an existing treaty, law, agreement, or regulation of the United States, including a treaty between the United States and any foreign country regarding export-import restrictions or international trade. Items (or item numbers): _____

CERTIFICATION

By submitting this document, completed as directed above, with a bid, the bidder certifies under penalty of making false declaration (Section 575.060, RsMO) that the information contained in this document is true, correct and complete, and may be relied upon by the City in determining the bidder's qualifications under and in compliance with the Missouri Domestic Products Procurement Act.

The bidder's failure to complete and return this document with the bid as directed above will cause the City to presume the manufactured goods or products listed in the bid are not manufactured or produced in the United States, and the bid will be evaluated on that basis pursuant to Section 34.353.3(2), RsMO.

CITY OF O'FALLON, MISSOURI

**CERTIFICATION OF COMPLIANCE WITH SECTION 34.600 RSMO., SUPP.
2020**

(Does not apply to contracts totaling less than \$100,000, or to contractors with fewer than 10 employees)

NOTE: Missouri law prohibits any public entity from entering into a contract to acquire or dispose of services, supplies, information technology or construction unless the contract includes a written certification that the company is not currently engaged in and shall not, for the duration of the contract, engage in a boycott of goods or services from the state of Israel; companies doing business in or with Israel or authorized by, licensed by or organized under the laws of the state of Israel; or person or entities doing business in the state of Israel.

I am _____ (name), and I am the _____ (title) of _____ (company name) a (circle one) corporation, partnership, sole proprietorship, limited liability company, and am competent and authorized to make the following statement and attest to its truthfulness:

_____ I hereby certify that the company is not currently engaged in and shall not, for the duration of this contract, engage in a boycott of goods or services from the State of Israel; companies doing business in or with Israel or authorized by, licensed by or organized under the laws of the State of Israel; or persons or entities doing business in the State of Israel, in accordance with the terms and conditions set forth in Section 34.600 RSMo, Supp. 2020.

OR:

_____ The business employs fewer than 10 employees.

Company Name

Signature

Printed Name and Title

CITY OF O'FALLON, MISSOURI

WORKER ELIGIBILITY VERIFICATION AFFIDAVIT

STATE OF _____)
) ss
COUNTY OF _____)

On the ____ day of _____, 20____, before me appeared _____,
Affiant name

personally known to me or proved to me on the basis of satisfactory evidence to be a person whose name is subscribed to this affidavit, who being by me duly sworn, stated as follows:

- I, the Affiant, am of sound mind, capable of making this affidavit, and personally certify the facts herein stated, as required by Section 285.530, RSMo, to enter into any contract agreement with the City to perform any job, task, employment, labor, personal services, or any other activity for which compensation is provided, expected, or due, including but not limited to all activities conducted by business entities.

- I, the Affiant, am the _____ of _____, and I am duly
title business name

authorized, directed, and/or empowered to act officially and properly on behalf of this business entity.

- I, the Affiant, hereby affirm and warrant that the aforementioned business entity is enrolled in a federal work authorization program operated by the United States Department of Homeland Security, and the aforementioned business entity shall participate in said program to verify the employment eligibility of newly hired employees working in connection with any services contracted by the City of O'Fallon. I have attached documentation to this affidavit to evidence enrollment/participation by the aforementioned business entity in a federal work authorization program, as required by Section 285.530, RSMo.

- I, the Affiant, also hereby affirm and warrant that the aforementioned business entity does not and shall not knowingly employ, in connection with any services contracted by the City, any alien who does not have the legal right or authorization under federal law to work in the United States, as defined in 8 U.S.C. § 1324a(h)(3).

- I, the Affiant, am aware and recognize that, unless certain contract and affidavit conditions are satisfied pursuant to Section 285.530, RSMo, the aforementioned business entity may be held liable under Sections 285.525 through 285.550, RSMo, for subcontractors that knowingly employ or continue to employ any unauthorized alien to work within the state of Missouri.

- I, the Affiant, acknowledge that I am signing this affidavit as a free act and deed of the aforementioned business entity and not under duress.

Affiant Signature

Subscribed and sworn to before me in _____, _____, the day and year first above-written.
city (or county) state

My commission expires:

Notary Public

[Attach documentation of enrollment/participation in a federal work authorization program]

CITY OF O'FALLON, MISSOURI



SAMPLE AGREEMENT

THIS AGREEMENT is made and entered into this ____ day of _____, 20____, by and between the City of O'Fallon, Missouri (CITY) and _____ (VENDOR). The parties agree as follows:

1. VENDOR agrees to provide the CITY with products or services in accordance with the bid documents and specifications entitled _____ with a public bid opening held on ____ <date> _____. Said bid documents and specifications shall be incorporated into this contract by this reference.
2. The CITY in accordance with the attached Proposal will pay VENDOR an amount not to exceed \$ _____ upon completion of the work noted above.
3. VENDOR shall provide and bill for only those services associated with this project. No additional charges will be allowed without prior approval. All work performed shall be identified and quantified on each invoice.
4. VENDOR is an independent contractor and nothing contained herein shall constitute or designate VENDOR or any of its agents or employees as agents or employees of the CITY.
5. VENDOR agrees in the performance of this agreement that it will not discriminate against any employee of applicant for employment because of race, creed, color, age, sex, national origin, ancestry, religion or political opinion or affiliation.
6. VENDOR shall maintain during the life of this Agreement and furnish to the CITY the appropriate Professional Liability, Commercial General Liability, and Workers Compensation insurance certificates in amounts as detailed in the bid specifications. An original Certificate of Insurance from the company or authorized agent of record must be furnished to the City, provide that the City of O'Fallon is an "Additional Insured" on the Vendor's Commercial General Liability policy during the Term of the Agreement, and a copy of such "Additional Insured" endorsement must accompany the insurance certificate. This requirement of insurance does not limit the Vendor's liability under the Agreement in any manner. VENDOR shall provide 30 days written notice prior to any change in insurance.
7. VENDOR agrees to indemnify the CITY, its' officials, and employees from any loss, damage, costs, charges or expenses to person or property by reason of any action or omission on the part of any person or company involved in this agreement.
8. This contract shall be renewable, not to exceed one (1) time, at the terms of the original contract allowing no more than a 3% increase in unit cost per bid item annually, executable solely at the discretion of the CITY upon acceptance by the VENDOR, under the VENDOR's understanding that the quantities and aggregate amount of the contract are subject to change.

VENDOR:

CITY OF O'FALLON, MISSOURI

Company Name

Michael Snowden, City Administrator Date

Signature

Date

ATTEST:

Print Name

Bess Bacher, City Clerk

Date

Specifications and Pricing

Company Name: _____

The City of O'Fallon is soliciting sealed bids to furnish the Water and Sewer departments with the supplies listed below. Items will be purchased on an as-needed basis.

Any manufacturers' names, trade names, brand names, information and/or catalog numbers listed in this specification are descriptive, not restrictive. The bidder may offer any product that meets or exceeds the applicable specifications. The bidder must demonstrate comparability, by including appropriate catalog materials, literature, specifications, test data, etc. The City shall determine in its sole discretion whether a product is acceptable as an equivalent.

The City reserves the right to not purchase any of the items listed, as well as awarding multiple suppliers based on the lowest and/or best bid per item.

PIPE:

A. **Copper Tube:** Copper tubing shall be Type K meeting the requirements of Federal Specification WW-T 7996 and conforming to ASTM B-75, B-88 and B-68 as they apply to Type K Copper Tubing.

B. **Ductile Iron Pipe (4-inch to 16-inch):** Ductile iron pipe used for exterior piping shall be manufactured in accordance with the latest revision of AWWA/ANSI C151/A21.51. Ductile Iron pipe shall be Class 52, centrifugally cast, double cement lined in accordance with AWWA/ANSI C104/A21.4, push-on joint or mechanical joint type, unless otherwise specified on the Drawings. Ductile iron pipe shall be supplied in 18-20 foot lengths with factory applied bituminous coatings in accordance with AWWA C151.

C. **PVC Pipe and Fittings (Water):** Polyvinyl chloride (PVC) pipe and fittings shall be blue or white unplasticized PVC plastic pressure pipe with integral bell and spigot joints for the conveyance of water. This pipe shall meet the requirements of AWWA Standard C900, "Polyvinyl Chloride (PVC) Water Distribution Pipe" and shall be manufactured by North American Specialty Products, J-M Manufacturing Company, Harvel Plastics Inc., or equal. All pipe shall be suitable for use as pressure conduit. The bell shall consist of an integral wall section with a factory installed, solid cross-section elastomeric gasket, which meets the requirements of ASTM F477. The bell section shall be designed to be at least as hydrostatically strong as the pipe barrel and meet the requirements of AWWA C900. The joint design shall meet the requirements of ASTM D3139. Pipe shall be DR18, and pressure rating shall be a minimum of 235 pounds per square inch (PSI). All bolts, nuts, washers, and other fastening devices shall be designed for use in corrosive service environments. All fastening devices shall be Type 316 stainless steel and conform to ASTM F 593 and ASTM F 594 standards. All nuts and bolts shall be installed with an anti-seize compound of molybdenum disulfite base. All PVC pipe must have 12-gauge tracer wire installed below the pipe and warning tape installed 1-foot above the pipe during installation.

D. **PVC Pipe and Fittings (Sewer):** Polyvinyl chloride (PVC) pipe and fittings 8 inches and above in diameter for gravity sanitary sewer pipes shall conform to the standards in ASTM-D3034. Bell and spigot end pipe shall be used unless otherwise specified at time of order. Pipe diameters below 8 inches shall be Sch 40 or SDR 26 class pipe. SDR 26 Class pipe shall be Bell and Spigot style with rubber gaskets to seal the connections.

E. Pipe and Fittings (Stormwater): All stormwater pipes shall be polypropylene style pipe consistent with ADS SaniTite or Reinforced Concrete Pipe.

- Polypropylene pipe and fittings shall meet ASTM F2764 standards and pipe shall consist of a gasketed bell and spigot connection on either end.
- Reinforced Concrete Pipe shall meet the standards in ASTM C-76 and shall consist of a gasketed bell and spigot at either end of the pipe. The shape dimensions and tolerance of the bell and spigot shall meet ASTM C443 standards.

GATE VALVES, FITTINGS, and STOPS:

A. Fittings: Pipe fittings shall be ductile iron, cement lined fittings. All fittings, except those associated with the flange pipe systems, shall have mechanical joints. The fittings shall be designed in accordance with the latest revision of AWWA/ANSI C153/A21.53 or AWWA/ANSI C110/A21.10, ductile iron and rated for 350 PSI working pressure for 3-inch through 24-inch diameter (250 PSI working pressure; 30-inch through 48-inch). All exterior fittings are to be bituminous coated, cement lined and seal-coated as previously specified for ductile iron pipe.

B. Accessories: Accessories such as gaskets, glands, bolts, nuts, etc., shall be designed in accordance with AWWA/ANSI C-111/A21.11 and shall be furnished as required to make all piping systems complete.

C. Gate valves: Gate valves shall be manufactured in accordance with the latest revision of ANSI/AWWA C-515. Gate valves shall be OPEN LEFT (COUNTER-CLOCKWISE), mechanical joint, resilient wedge, non-rising stem type, designed for minimum 250-PSI working pressure. Gate valves shall meet or exceed requirements AWWA C-515 of latest revision, shall be UL listed and FM approved. The valves shall be manufactured of high-strength ductile iron with a wall thickness meeting or exceeding the requirements of AWWA C-515. The wedge shall be ductile iron, gray iron, or copper alloy fully encapsulated in rubber in accordance with AWWA C-515, provided with protective wedge guide covers, symmetrical and shall seal equally well with flow in either direction. Valve stems shall be sealed by three (3) O-rings, with two (2) of the O-rings residing above the thrust collar. O-rings above the thrust collar shall be replaceable under full working pressure and with the valve in the full open position. Exterior nuts and bolts shall be type 304 stainless steel, with hexagonal heads and with dimensions conforming to ANSI B18.2.1. The operating nut shall be 2-inch square, ductile iron and constructed to ensure even valve operating input torque. Valve body gaskets shall be of the pressure energized O-ring style. The waterway shall be smooth and oversized with no depressions or cavities in the seat area that will allow foreign material to accumulate and affect closure or sealing. The valve body and bonnet shall be fusion bonded epoxy coated, inside and out per AWWA C-550. The coating shall be electro-statically applied prior to assembly and certified to ANSI/NSF 61 Standard. The valves shall be of the non-rising stem design with sealing accomplished by double "O" rings. Gate valves shall be fully assembled in the USA according to AWWA Specifications.

D. Hydrants shall be Mueller Super Centurion 250, as manufactured by Mueller Water Products, Inc., of Atlanta, Georgia; American Darling B-84-B-5, as manufactured by AMERICAN Flow Control of Birmingham, Alabama; or Guardian K-81A, as manufactured by Kennedy Valve, of Elmira, New York; or approved equal. Hydrants shall be fully assembled, and factory tested in the USA according to AWWA Specifications, shall be traffic type designed for installation in a trench that will provide forty-two (42) inches minimum cover, shall be rated for 250 PSI working pressure, and shall have a 5-1/4-inch main valve opening. Hydrant shoe shall be MJ and fusion applied epoxy coated. All bolts and nuts below ground level shall be stainless steel and shall not be metric. Hydrants shall be equipped with one 4-1/2-inch steamer nozzle and two 2-1/2-inch hose nozzles. All nozzles shall be National Standard Thread. Hydrants shall open left (counter-clockwise) and must be marked with an arrow and the word "OPEN" cast into the body or bonnet of the hydrant to indicate the direction to turn the stem to open the hydrant.

CITY OF O'FALLON, MISSOURI

E. Corporation Stops: Corporation stops shall be as manufactured by A.Y. McDonald, Ford, Mueller or approved equal, conforming to the latest revision of AWWA Standard C800 and shall be individually inspected and tested for leaks by air pressure under water. Corporation stops shall be ball type, straight-through/full port design, with AWWA Standard (CC) inlet threads and compression outlet, designed to prevent blow-out and shall be bubble-tight at 300 PSIG working pressure. The stop shall be "No-Lead Brass", defined for this specification as UNS Copper Alloy No. C89520 or C89833 in accordance with the chemical and mechanical requirements of ASTM B584 and AWWA C-800 with double O-ring type Buna-N seals. The ball shall be coated with a nontoxic, non-water soluble, self-lubricating film (Teflon or equal). Corporation stops shall be capable of being installed using a standard tapping machine.

F. Curb Stops: Curb stops shall be as manufactured by A.Y. McDonald, Ford, Mueller or approved equal, conforming to the latest revision of AWWA Standard C800 and shall be individually inspected and tested for leaks by air pressure under water. Curb stops shall be ball type, straight-through/full port design, rated for 150 PSIG working pressure, with compression joints on both ends, a drain and shall be open right. The stop shall be "No-Lead Brass", defined for this specification as UNS Copper Alloy No. C89520 or C89833 in accordance with the chemical and mechanical requirements of ASTM B584 and AWWA C-800 with double O-ring type Buna-N seals and positive shut-off in either direction. The ball shall be coated with a nontoxic, non-water soluble, self-lubricating film (Teflon or equal).

G. Unions: Unions shall meet or exceed AWWA C800 standards, be compression type, with a pressure rating greater than the valve or fitting with which the union is used.

H. Repair Clamps: Shall be equal to Ford, Mueller, or ROMAC single band, stainless steel 6 inches through 20 inches.

I. Couplings: Shall be equal to Ford, Mueller, or ROMAC, certified to meet ANSI/NSF 61 standard and applicable requirements of AWWA C219. The sleeve shall be fusion bonded, epoxy coated ductile iron, meeting or exceeding the requirements of ASTM A-536. End rings shall be color coded for pipe type and constructed of ductile iron, meeting or exceeding the requirements of ASTM A- 536. The gaskets shall be Styrene Butadiene Rubber (SBR) in accordance with ASTM D 2000 embossed with size and end ring color code. The nuts and bolts shall be steel conforming to the standards of ASTM A242 and AWWA C11. 2 Bolt Coupling System shall be equal to Top Bolt or Hymax, certified to meet ASTM D2000 standard.
Couplings shall be rated for a minimum working pressure of 250 PSI.

J. Valve Boxes: Each exterior valve shall be provided with a valve box. Valve boxes shall be cast iron and of the slide or screw type depending on the location. They shall be so designed and constructed as to prevent the direct transmission of traffic loads to the pipe or valve. The box shall be adjustable through at least 6 inches vertically without reduction of lap between sections to less than 4 inches. The length shall be as necessary to suit the ground elevation. The inside diameter of the box shall be at least 5-1/4 inches. Covers shall be close fitting and substantially dirt-tight with the word "WATER" cast in. The top of the cover shall be flush with the top of the box rim.

K. Service Boxes: Shall be manufactured in the United States, Buffalo style, slide type, with the top, cover and base constructed of heavy cast iron. The cover shall fit flush with the top of the box and be a locking type with a brass pentagonal nut and the word "WATER" cast in the cover.

L. Tapping Sleeves: Unless otherwise specified, sleeves shall be ductile iron construction meeting ASTM A536 Grade 65-45-12 and rated for 250 PSIG maximum working pressure. The sleeve shall be coated with asphaltic varnish and shall be certified to the requirements of ANSI/NSF-61. Side flange seals shall be of the O-ring type, either round, oval or rectangular in cross-sectional shape. Tapping sleeves shall include end joint accessories and split glands necessary to assemble the sleeve to the pipe. Tapping sleeves 12-inch and smaller shall be capable of working on Class ABCD pipe diameters

CITY OF O'FALLON, MISSOURI

without changing either half of the sleeve. Tapping sleeves for pipe sizes greater than 12-inch shall be field measured to determine class required. Outlet flanges dimensions and drilling shall comply with ANSI B16.1, Class 125 and with MSS SP-60. All valves furnished shall be open right and shall be in accordance with valve requirements specified herein. Verify pipe material and diameter in the location sleeve will be installed.

M. **Service Saddles:** Service saddles shall have high strength ductile iron body per ASTM A536 with a fusion applied epoxy coating, 18-8 type 304 stainless steel NC threaded bolts, 18-8 type 304 stainless steel fluorocarbon coated heavy hex nuts and washers made from with welds fully passivated for corrosion resistance, 18-8 type 304 stainless steel band with a 3-1/4-inch minimum width, Buna-N rubber per ASTM D2000, and CC threads per AWWA C800. Saddles shall be pre-sized when used on C900 PVC pipe and shall be rated at 250 PSIG maximum working pressure. Brass bodied service saddles must conform to AWWA Standard C800 (ASTM B62 and ASTM B584, UNS NO 83600 – 85-5-5-5). All saddles are to be held together with silicon bronze bolts. All brass-bodied service saddles must have a minimum working pressure of 150 psi.

ACCESSORIES:

A. **General:** Provide anchorages for tees, plugs, caps, and bends. After installation, apply a full coat of asphalt or other acceptable corrosion-retarding material to surfaces of rods and clamps.

B. **Clamps, Straps and Washers:** Steel, ANSI/ASTM A506.

C. **Rods:** Steel, ANSI/ASTM A575.

D. **Rod Couplings:** Malleable iron, ANSI/ASTM A197.

E. **Bolts:** Steel, ANSI/ASTM A307.
Blue Fluoropolymer Coated, ANSI/AWWA C111/A21.11

F. **Cast Iron Washers:** ANSI/ASTM A126, Class A.

G. **Pipe Lubricant:** Suitable for use in potable water supply.

H. **Mechanical Joint Restraint:** Shall consist of multiple gripping wedges incorporated into a follower gland meeting the applicable requirements of ANSI/AWWA C110/A21.10, with a working pressure rating of 350 PSI for 3 through 16-inch, 250 PSI for 18 through 48-inch and 200 PSI for 54-inch. Ratings shall be for water pressure and must include a minimum safety factor of 2 to 1 in all sizes. Gland body, wedges and wedge actuating components shall be ductile iron.

I. **Precast Manholes:** Precast Concrete Manhole parts shall meet ASTM C478 standards and shall be constructed using Type II Portland cement. When used for sanitary sewer it shall have a waterproof coating around the exterior surface/s.

CITY OF O'FALLON, MISSOURI

Item	Description	Units	QTY	Unit Price	Total Price
	12" Fittings				
1	12" Muller – MJ Gate Valve	EA	35	\$	\$
2	12" American Flow Control – MJ Gate Valve	EA	35	\$	\$
3	12" Kennedy – MJ Gate Valve	EA	35	\$	\$
4	12" x 12" MJ CLDI Tee	EA	3	\$	\$
5	12" x 10" MJ CLDI Tee	EA	2	\$	\$
6	12" x 8" MJ CLDI Tee	EA	11	\$	\$
7	12" x 6" MJ CLDI Tee	EA	5	\$	\$
8	12" x 6" x MJ CLDI Anchor Tee	EA	7	\$	\$
9	12" x MJ – CLDI 90 degree bend	EA	2	\$	\$
10	12" x MJ – CLDI 45 degree bend	EA	3	\$	\$
11	12" x MJ – CLDI 22.5 degree bend	EA	2	\$	\$
12	12" x MJ – CLDI 11.25 degree bend	EA	2	\$	\$
13	12" x 8" x MJ – CLDI Reducer	EA	2	\$	\$
14	12" x 6" x MJ – CLDI Reducer	EA	2	\$	\$
15	12" (Long) – CLDI Sleeve	EA	10	\$	\$
16	12" (Short) – CLDI Sleeve	EA	2	\$	\$
17	12" x 12" – CLDI Swivel Anchor Coupling	EA	35	\$	\$
18	12" MJ Restraint – Gland, Gasket kit w/316 Stainless Steel T-bolts & hex nuts for C900 PVC	EA	154	\$	\$
19	12" MJ Restraint – Gland, Gasket kit C900 PVC	EA	2	\$	\$
20	12" MJ Restraint – Gland, Gasket kit w/316 Stainless Steel T-bolts & hex nuts for Ductile Iron	EA	10	\$	\$
21	12" MJ Restraint – Gland, Gasket kit Ductile Iron	EA	20	\$	\$
22	12" Split Mid-Span restraint gland for C900 PVC	EA	6	\$	\$
23	12" Bell Restraint Harness for C900 PVC	EA	6	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description 12" Fittings (cont'd)	Unit	QTY	Unit Price	Total Price
24	12" x ¾" Brass Service Saddle	EA	120	\$	\$
25	12" x 1" Brass Service Saddle	EA	50	\$	\$
26	12" x 2" Brass Service Saddle	EA	5	\$	\$
27	12" Slip Cap for C900 PVC	EA	2	\$	\$
28	12" CLDI MJ Cap	EA	2	\$	\$
29	12" CLDI MJ Cap w/2" tapped port	EA	2	\$	\$
30	12" CLDI MJ Plug	EA	4	\$	\$
31	12" MJ Gasket	EA	85	\$	\$
32	12" x 12.5" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	4	\$	\$
33	12" x 15" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	4	\$	\$
34	12" x 25" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	3	\$	\$
35	12" x 30" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	2	\$	\$
36	12" Smith Blair Top Bolt Coupling or equivalent	EA	6	\$	\$

Item	Description	Units	QTY	Unit Price	Total Price
	10" Fittings				
37	10" x 12.5" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	6	\$	\$
38	10" x 15" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	4	\$	\$
39	10" x 25" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	4	\$	\$
40	10" x 30" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	4	\$	\$
41	10" Smith Blair Coupling or equivalent	EA	6	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description	Units	QTY	Unit Price	Total Price
	8" Fittings				
42	8" Muller – MJ Gate Valve	EA	33	\$	\$
43	8" American Flow Control – MJ Gate Valve	EA	33	\$	\$
44	8" Kennedy – MJ Gate Valve	EA	33	\$	\$
45	8" x 8" x MJ CLDI Tee	EA	6	\$	\$
46	8" x 6" x MJ CLDI Tee	EA	2	\$	\$
47	8" x 6" x MJ CLDI Anchor Tee	EA	12	\$	\$
48	8" x MJ – CLDI 90 degree bend	EA	2	\$	\$
49	8" x MJ – CLDI 45 degree bend	EA	4	\$	\$
50	8" x MJ – CLDI 22.5 degree bend	EA	2	\$	\$
51	8" x MJ – CLDI 11.25 degree bend	EA	2	\$	\$
52	8" x 6" MJ – CLDI Reducer	EA	10	\$	\$
53	8" (long) – CLDI Sleeve	EA	10	\$	\$
54	8" (Short) – CDLI Sleeve	EA	5	\$	\$
55	8" Swivel Anchor Coupling 12" long	EA	25	\$	\$
56	8" Swivel Anchor Coupling 18" long	EA	25	\$	\$
57	8" MJ Restraint – Gland, Gasket kit w/316 Stainless Steel T-bolts & hex nuts for C900 PVC	EA	151	\$	\$
58	8" MJ Restraint – Gland Gasket kit C900 PVC	EA	75	\$	\$
59	8" MJ Restraint – Gland, Gasket kit w/316 Stainless Steel T-bolts & hex nuts for Ductile Iron	EA	6	\$	\$
60	8" MJ Restraint – Gland, Gasket kit Ductile Iron	EA	4	\$	\$
61	8" Split MJ Restraint Gland for C900 PVC	EA	4	\$	\$
62	8" Split MJ Restraint Gland for Ductile Iron	EA	4	\$	\$
63	8" MJ Gasket	EA	6	\$	\$
64	8" Transition Gasket	EA	2	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description 8" Fittings (cont'd)	Units	QTY	Unit Price	Total Price
65	8" Bell Restraint Harness for C900 PVC	EA	6	\$	\$
66	8" x ¾" Brass Service Saddle	EA	3	\$	\$
67	8" x 1" Brass Service Saddle	EA	3	\$	\$
68	8" x 2" Brass Service Saddle	EA	2	\$	\$
69	8" CLDI MJ Cap	EA	10	\$	\$
70	8" CLDI MJ Cap w/2" tapped port	EA	5	\$	\$
71	8" CLDI MJ Plug	EA	10	\$	\$
72	8" x 12.5" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	8	\$	\$
73	8" x 12.5" Stainless Steel Repair Clamp for AC Pipe	EA	2	\$	\$
74	8" x 12.5" Stainless Steel Repair Clamp for Cast Iron Pipe w/¾" CC Outlet	EA	4	\$	\$
75	8" x 12.5" Stainless Steel Repair Clamp for AC Pipe w/¾" CC Outlet	EA	2	\$	\$
76	8" x 15" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	8	\$	\$
77	8" x 25" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	6	\$	\$
78	8" x 30" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	6	\$	\$
79	8" Smith Blair Top Bold Coupling or equivalent	EA	12	\$	\$

Item	Description	Units	QTY	Unit Price	Total Price
	8" Sdr35 Pipe Fittings				
80	8" Sewer SW Cap	EA	10	\$	\$

Item	Description	Units	QTY	Unit Price	Total Price
	6" Fittings				
81	6" Muller – MJ Gate Valve	EA	35	\$	\$
82	6" American Flow Control – MJ Gate Valve	EA	38	\$	\$
83	6" Kennedy – MJ Gate Valve	EA	38	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description 6" Fittings (cont'd)	Unit	QTY	Unit Price	Total Price
84	6" x 6" x MJ CLDI Tee	EA	2	\$	\$
85	6" x 6" x MJ CLDI Anchor Tee	EA	4	\$	\$
86	6" x MJ – CLDI 90 degree bend	EA	2	\$	\$
87	6" x MJ – CLDI 45 degree bend	EA	9	\$	\$
88	6" x MJ – CLDI 22.5 degree bend	EA	2	\$	\$
89	6" x MJ – CLDI 11.25 degree bend	EA	2	\$	\$
90	6" (Long) – CLDI Sleeve	EA	10	\$	\$
91	6" (Short) – CLDI Sleeve	EA	5	\$	\$
92	6" – CLDI Swivel Anchor Coupling 12" long	EA	16	\$	\$
93	6" – CLDI Swivel Anchor Coupling 18" long	EA	50	\$	\$
94	6" – CLDI Swivel Anchor Coupling 36" long	EA	50	\$	\$
95	6" MJ Restraint – Gland, Gasket kit w/316 Stainless Steel T-bolts & hex nuts for C900 PVC	EA	155	\$	\$
96	6" MJ Restraint – Gland, Gasket kit for C900 PVC	EA	35	\$	\$
97	6" MJ Restraint – Gland, Gasket kit w/316 Stainless Steel T-bolts & hex nuts for Ductile Iron	EA	20	\$	\$
98	6" MJ Restraint – Gland, Gasket kit for Ductile Iron	EA	15	\$	\$
99	6" MJ Gasket	EA	6	\$	\$
100	6" Transition Gasket	EA	2	\$	\$
101	6" Split Mid-Span restraint gland for C900 PVC	EA	6	\$	\$
102	6" Split Mid-Span restraint gland for Ductile Iron	EA	4	\$	\$
103	6" Bell Restraint Harness for C900 PVC	EA	6	\$	\$
104	6" x 3/4" Service Saddle	EA	2	\$	\$
105	6" x 1" Service Saddle	EA	2	\$	\$
106	6" x 2" Service Saddle	EA	1	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description 6" Fittings (cont'd)	Unit	QTY	Unit Price	Total Price
107	6" CLDI x MJ Plug	EA	4	\$	\$
108	6" CLDI x MJ CAP	EA	12	\$	\$
109	6" Slip Cap for C900 PVC	EA	2	\$	\$
110	6" CLDI x MJ cap w/2" tapped port	EA	2	\$	\$
111	6" x 12.5" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	15	\$	\$
112	6" x 12.5" Stainless Steel Repair Clamp for AC Pipe	EA	2	\$	\$
113	6" x 12.5" Stainless Steel Repair Clamp for Cast Iron Pipe w/3/4" CC Outlet	EA	8	\$	\$
114	6" x 12.5" Stainless Steel Repair Clamp for AC Pipe w/3/4" CC Outlet	EA	6	\$	\$
115	6" x 15" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	12	\$	\$
116	6" x 25" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	10	\$	\$
117	6" x 30" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	10	\$	\$
118	6" Smith Blair Top Bold Coupling or equivalent	EA	24	\$	\$

Item	Description	Units	QTY	Unit Price	Total Price
	6" SCH40 Pipe Fittings				
119	6" Sewer SW 90	EA	5	\$	\$
120	6" Sewer SW 45	EA	5	\$	\$
121	6" Sewer SW 22 1/2	EA	5	\$	\$
122	6" DWV 90	EA	5	\$	\$
123	6" DWV 45	EA	5	\$	\$
124	6" DWV 22 1/2	EA	5	\$	\$
125	6" Sewer SW Tee	EA	2	\$	\$
126	6" DWV Tee	EA	2	\$	\$
127	6" Sewer SW Cap	EA	10	\$	\$
128	6" DWV Cap	EA	10	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description	Units	QTY	Unit Price	Total Price
	4" Fittings				
129	4" x 12.5" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	12	\$	\$
130	4" x 12.5" Stainless Steel Repair Clamp for AC Pipe	EA	2	\$	\$
131	4" x 12.5" Stainless Steel Repair Clamp for Cast Iron Pipe w/3/4" CC Outlet	EA	6	\$	\$
132	4" x 12.5" Stainless Steel Repair Clamp for AC Pipe w/3/4" CC Outlet	EA	2	\$	\$
133	4" x 15" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	10	\$	\$
134	4" x 25" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	10	\$	\$
135	4" x 30" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	8	\$	\$
136	4" Smith Blair Top Bold Coupling or equivalent	EA	16	\$	\$
137	4" x 12.5 CLDI MJ Sleeve	EA	4	\$	\$
138	4" Gland Gasket kit for Ductile Iron	EA	8	\$	\$
139	4" Gland Gasket for Class 200 PVC Pipe	EA	8	\$	\$

Item	Description	Units	QTY	Unit Price	Total Price
	4" SCH 40 Pipe Fittings				
140	4" Sewer SW 90	EA	5	\$	\$
141	4" Sewer SW 45	EA	5	\$	\$
142	4" Sewer SW 22 ½	EA	5	\$	\$
143	4" DWV 90	EA	5	\$	\$
144	4" DWV 45	EA	5	\$	\$
145	4" DWV 22 ½	EA	5	\$	\$
146	4" Sewer SW Tee	EA	2	\$	\$
147	4" DWV Tee	EA	2	\$	\$
148	4" Sewer SW Cap	EA	5	\$	\$
149	4" DWV Cap	EA	5	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description	Unit	QTY	Unit Price	Total Price
	3" Fittings				
150	3" x 12.5" Stainless Steel Repair Clamp for Cast Iron Pipe	EA		\$	\$
151	3" x 12.5" Stainless Steel Repair Clamp for AC Pipe	EA	3	\$	\$
152	3" x 12.5" Stainless Steel Repair Clamp for Cast Iron Pipe w/3/4" CC Outlet	EA	2	\$	\$
153	3" x 12.5" Stainless Steel Repair Clamp for AC Pipe w/3/4" CC Outlet	EA	2	\$	\$
154	3" Smith Blair Top Bold Coupling or equivalent	EA	5	\$	\$
155	3" x 12.5 CLDI MJ Sleeve	EA	2	\$	\$
156	3" Gland Gasket kit for Ductile Iron	EA	6	\$	\$
157	3" Gland Gasket for Class 200 PVC Pipe	EA	6	\$	\$

Item	Description	Unit	QTY	Unit Price	Total Price
	2" Fittings				
158	2" x 12.5" Stainless Steel Repair Clamp for Cast Iron Pipe	EA	6	\$	\$
159	2" Smith Blair Top Bold Coupling or equivalent	EA	10	\$	\$
160	2" x 12.5 CLDI MJ Sleeve	EA	2	\$	\$
161	2" Gland Gasket kit for Ductile Iron	EA	8	\$	\$
162	2" Gland Gasket for Class 200 PVC Pipe	EA	8	\$	\$

Item	Description	Units	QTY	Unit Price	Total Price
	Misc. Fittings				
163	1" Type K Rolled Copper tubing	60 FT Roll	50	\$	\$
164	3/4" Type K Rolled Copper tubing	60 FT Roll	10	\$	\$
165	1.5" Type K Rolled Copper tubing	60 FT Roll	3	\$	\$
166	2" Type K Rolled Copper tubing	60 FT Roll	2	\$	\$
167	3/4" McDonald NL ball style corporation stop	EA	15	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description Misc. Fittings (cont'd)	Units	QTY	Unit Price	Total Price
168	1" McDonald NL ball style corporation stop	EA	120	\$	\$
169	2" McDonald NL ball style corporation stop	EA	5	\$	\$
170	¾" x 15" Meter setter, Compression fit	EA	120	\$	\$
171	¾" x 18" Meter setter, Compression fit	EA	10	\$	\$
172	384" x 15" Resetter	EA	15	\$	\$
173	¾" x 1" Brass Reducer Compression fit gripper joint	EA	120	\$	\$
174	2" Meter setter, Compression fit	EA	5	\$	\$
175	18" diameter x 30" deep poly meter pit	EA	120	\$	\$
176	18" diameter x 36" deep poly meter pit	EA	5	\$	\$
177	18" diameter x 3" poly meter pit riser	EA	10	\$	\$
178	18' diameter x 6" poly meter pit riser	EA	10	\$	\$
179	3/4 " Gripper joint – Brass	EA	300	\$	\$
180	1" Gripper joint – Brass	EA	50	\$	\$
181	16 oz thread sealant	EA	4	\$	\$
182	2.5" x ¾" Brass – Hydrant Coupling (hose thread)	EA	4	\$	\$
183	2.5" x 2" Brass – Hydrant Coupling (hose thread)	EA	4	\$	\$
184	2.5" x ¾" x Pipe Thread Brass Hydrant Coupling	EA	4	\$	\$
185	2.5" x 1" x Pipe Thread Brass Hydrant Coupling	EA	4	\$	\$
186	1.5" Brass Meter Setter Compression Fit w/bypass	EA	20	\$	\$
187	1" Brass Meter Setter Compression Fit	EA	30	\$	\$
188	20" x 30" Meter Pit	EA	40	\$	\$
189	20" x 36" Meter Pit	EA	30	\$	\$
190	20" x 3" Meter Pit Riser	EA	60	\$	\$
191	20" x 6" Meter Pit Riser	EA	60	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description Misc. Fittings (cont'd)	Units	QTY	Unit Price	Total Price
192	Vestel 32-049 ER2036 Expanda Ring	EA	12	\$	\$
193	Vestel 32-495 XHVV 20" Monitor Cover	EA	12	\$	\$
194	Vestel 32-055 Monitor Ring Only	EA	12	\$	\$
195	¾" Pack Joint Coupling Compression Style	EA	100	\$	\$
196	1" Pack Joint Coupling Compression Style	EA	100	\$	\$
197	1" x ¾" Pack Joint Coupling compression Style	EA	15	\$	\$
198	1" x ¾" Brass Reducer	EA	12	\$	\$
199	Poly ¾"	Roll	2	\$	\$
200	Poly 1"	Roll	1	\$	\$
201	1.5" Repair Clamp	EA	3	\$	\$
202	2" Repair Clamp	EA	1	\$	\$
203	Inserts for Poly ¾"	EA	1	\$	\$
204	Inserts for Poly 1"	EA	1	\$	\$

Item	Description Misc. Tools and Supplies	Units	QTY	Unit Price	Price
205	Adjustable – ratcheting valve wrench	EA	2	\$	\$
206	5 Pounds – HTH Chlorine Tablets	EA	10	\$	\$
207	5 Pounds – HTH Chlorine Granular	EA	5	\$	\$
208	0-500 mg/L Chlorine Residual Test Kit	EA	2	\$	\$
209	2-1/2" Dechlorination Diffuser	EA	1	\$	\$
210	5 Pounds – Dechlorination Tablets	EA	10	\$	\$
211	Cor-Blue T-Head Bolts	EA	500	\$	\$
212	4' Probe Rod	EA	4	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description Misc. Tools & Supplies (cont'd)	Unit	QTY	Unit Price	Total Price
213	Cast Iron Adjustable Valve Box – Screw Style	EA	65	\$	\$
214	12" Cast Iron Valve Box Extension	EA	10	\$	\$
215	24" Cast Iron Valve Box Extension	EA	5	\$	\$
216	6" Cast Iron Valve Box Top & Lid	EA	5	\$	\$
217	2" Valve Lid Riser	EA	10	\$	\$
218	1" Valve Lid Riser	EA	10	\$	\$
219	¾" to 1" Service line pull kit w/100' of cable	EA	2	\$	\$
220	50' of service line pull cable	EA	1	\$	\$
221	Aqua-tap – ¾" to 2" Service tap kit w/cordless drill included	EA	1	\$	\$
222	12-Gauge Copper Tracer Wire (blue) 500' Roll	EA	13	\$	\$
223	3M 18-10 Gauge Waterproof Splice kits (tube style)	EA	20	\$	\$
224	350' Polywrap plastic for 10-12" pipe sizes	EA	1	\$	\$
225	350' Polywrap plastic for 6/8" pipe sizes	EA	1	\$	\$
226	Marking Paint Sticks w/Flag Holder	EA	6	\$	\$
227	Blue Marking Paint	EA	60	\$	\$
228	Green Marking Paint	EA	60	\$	\$
229	Pink Marking Paint	EA	72	\$	\$
230	White Marking Paint	EA	72	\$	\$
231	Purple Primer	EA	48	\$	\$
232	Curb Box Style Shut Off Key	EA	4	\$	\$
233	T-Head Style Shut Off Key	EA	4	\$	\$
234	Locking Lid Key for Cast Iron Manhole Cover	EA	2	\$	\$
235	Adjustable Solid Valve Key w/Swivel Head	EA	3	\$	\$
236	Clear Medium Bodied PVC Cement	EA	48	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description Misc. Tools & Supplies (cont'd)	Unit	QTY	Unit Price	Total Price
237	42" Box of 1" Mastic	EA	25	\$	\$
238	48" Box of 1" Mastic	EA	25	\$	\$

Item	Description	Unit	QTY	Unit Price	Total Price
	Grade Risers				
239	2" Cone Riser	EA	10	\$	\$
240	3" Cone Riser	EA	20	\$	\$
241	4" Cone Riser	EA	20	\$	\$
242	6" Cone Riser	EA	20	\$	\$
243	8" Cone Riser	EA	10	\$	\$
244	12" Cone Riser	EA	5	\$	\$
245	2" Frame Riser	EA	10	\$	\$
246	3" Frame Riser	EA	10	\$	\$
247	4" Frame Riser	EA	10	\$	\$
248	1" Rubber Riser	EA	5	\$	\$
249	2" Rubber Riser	EA	5	\$	\$
250	2/4" Slant Riser	EA	5	\$	\$

Item	Description	Unit	QTY	Unit Price	Total Price
	Hydrant				
251	6" Hydrant Assembly – 4.5' bury X MJ	EA	15	\$	\$
252	6" Hydrant Assembly – 5' bury X MJ	EA	15	\$	\$
253	6" Flanged Hydrant Extension	EA	5	\$	\$
254	12" Flanged Hydrant Extension	EA	5	\$	\$
255	18" Flanged Hydrant Extension	EA	5	\$	\$
256	4' Blow Off Assembly	EA	4	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description	Unit	QTY	Unit Price	Total Price
	Pipe				
257	12" Concrete Lined Ductile Iron	LF	40	\$	\$
258	12" – DR 18 C-900 PVC	LF	100	\$	\$
259	12" – DR 18 Restraint Joint C-900 PVC	LF	100	\$	\$
260	8" Concrete Lined Ductile Iron	LF	40	\$	\$
261	8" – DR 18 C900 PVC	LF	100	\$	\$
262	8" – DR 18 Restraint Joint C900 PVC	LF	100	\$	\$
263	6" Concrete Lined Ductile Iron	LF	40	\$	\$
264	6" – DR 18 C900 PVC	LF	80	\$	\$
265	6" – DR 18 Restraint Joint C900 PVC	LF	80	\$	\$
266	6" Schedule 40 PVC	LF	1100	\$	\$
267	4" DR 18 C900 PVC	LF	1500	\$	\$
268	3" DR 18 C900 PVC	LF	2	\$	\$
269	2" DR 18 C900 PVC	LF	10	\$	\$

Item	Description	Unit	QTY	Unit Price	Total Price
	Ductile Iron Pipe				
270	8" CL52 Ductile Iron Pipe	EA	1	\$	\$
271	10" CL52 Ductile Iron Pipe	EA	1	\$	\$
272	12" CL52 Ductile Iron Pipe	EA	1	\$	\$
273	16" CL52 Ductile Iron Pipe	EA	1	\$	\$
274	20" CL52 Ductile Iron Pipe	EA	1	\$	\$
275	24" CL52 Ductile Iron Pipe	EA	1	\$	\$

Item	Description	Unit	QTY	Unit Price	Total Price
	SDR26 Pipe				
276	4" SDR26 PVC Sewer Pipe 14 ft.	EA	1	\$	\$
277	6" SDR26 PVC Sewer Pipe 14 ft.	EA	1	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description	Unit	QTY	Unit Price	Total Price
	SDR35 Pipe				
278	8" SDR35 PVS Sewer Pipe 14 ft.	EA	20	\$	\$
279	10" SDR35 PVS Sewer Pipe 14 ft.	EA	5	\$	\$
280	12" SDR35 PVS Sewer Pipe 14 ft.	EA	1	\$	\$

Item	Description	Unit	QTY	Unit Price	Total Price
	Sch40 Pipe				
281	4" Sch40 PVC Pipe BE 10 or 20 ft. lengths	EA	5	\$	\$
282	6" Sch40 PVC Pipe BE 10 or 20 ft. lengths	EA	5	\$	\$

Item	Description	Unit	QTY	Unit Price	Total Price
	ADS Storm Dual Wall Pipe 20 ft lengths				
283	12" ADS HP Storm Dual Wall Pipe	EA	10	\$	\$
284	15" ADS HP Storm Dual Wall Pipe	EA	5	\$	\$
285	18" ADS HP Storm Dual Wall Pipe	EA	5	\$	\$
286	24" ADS HP Storm Dual Wall Pipe	EA	2	\$	\$
287	30" ADS HP Storm Dual Wall Pipe	EA	2	\$	\$
288	42" ADS HP Storm Dual Wall Pipe	EA	1	\$	\$
289	48" ADS HP Storm Dual Wall Pipe	EA	1	\$	\$
290	60" ADS HP Storm Dual Wall Pipe	EA	1	\$	\$

Item	Description	Unit	QTY	Unit Price	Total Price
	RCP Pipe				
291	12" RCP Pipe w/Gasket – 8' Length	EA	2	\$	\$
292	15" RCP Pipe w/Gasket – 8' Length	EA	1	\$	\$
293	18" RCP Pipe w/Gasket – 8' Length	EA	1	\$	\$
294	24" RCP Pipe w/Gasket – 8' Length	EA	1	\$	\$
295	30" RCP Pipe w/Gasket – 8' Length	EA	1	\$	\$
296	36" RCP Pipe w/Gasket – 8' Length	EA	1	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description RCP Pipe (cont'd)	Unit	QTY	Unit Price	Total Price
297	42" RCP Pipe w/Gasket – 8' Length	EA	1	\$	\$
298	48" RCP Pipe w/Gasket – 8' Length	EA	1	\$	\$
299	12" RCP Flared End	EA	1	\$	\$
300	15" RCP Flared End	EA	1	\$	\$
301	18" RCP Flared End	EA	1	\$	\$
302	24" RCP Flared End	EA	1	\$	\$
303	30" RCP Flared End	EA	1	\$	\$
304	36" RCP Flared End	EA	1	\$	\$
305	42" Flared End	EA	1	\$	\$
306	48" Flared End	EA	1	\$	\$

Item	Description	Unit	QTY	Unit Price	Total Price
	PVC Fittings				
307	6" x 6" x 6" Tee Schedule 40	EA	30	\$	\$
308	6" Cap	EA	30	\$	\$
309	4" x 4" x 4" Tee Schedule 40	EA	70	\$	\$
310	4" Cap	EA	70	\$	\$
311	6" – 11 Coupler	EA	40	\$	\$
312	6" – 22 Coupler	EA	40	\$	\$
313	6" – 45 Coupler	EA	40	\$	\$
314	4" – 11 Coupler	EA	70	\$	\$
315	4" – 22 Coupler	EA	70	\$	\$
316	4" – 45 Coupler	EA	60	\$	\$
317	4" – 60 Coupler	EA	10	\$	\$
318	Cast Iron Cap (Sewer on Lid)	EA	2	\$	\$
319	6" Flexible Fitting – (Clay/PVC)	EA	60	\$	\$
320	4" Flexible Fitting – (Clay/PVC)	EA	20	\$	\$
321	4" Repair Fernco	EA	50	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description PVC Fittings (cont'd)	Unit	QTY	Unit Price	Price
322	6" Repair Fernco	EA	20	\$	\$
323	6" x 4" Reducer Coupler	EA	35	\$	\$
324	4" x 6" Reducer Coupler	EA	35	\$	\$
325	6" Repair Coupler	EA	10	\$	\$
326	6" Donut Gasket (6.08)	EA	30	\$	\$
327	6" Donut Gasket (6.14)	EA	30	\$	\$
328	4" Donut Gasket	EA	20	\$	\$
329	6" PVC Adaptor to SDR35	EA	20	\$	\$
330	4" Repair Coupler SDR35	EA	10	\$	\$
331	6" PVC Coupler W/O Stop	EA	10	\$	\$
332	6" PVC Coupler	EA	10	\$	\$
333	4" PVC Coupler W/O Stop	EA	10	\$	\$
334	4" PVC Coupler	EA	60	\$	\$
335	4" PVC Adaptor to SDR35	EA	100	\$	\$

Item	Description	Unit	QTY	Unit Price	Total Price
	Fernco Couplers				
336	4" Fernco Boots Clay to PVC w/shear bands	EA	5	\$	\$
337	6" Fernco Boots Clay to PVC w/shear bands	EA	5	\$	\$
338	8" Fernco Boots Clay to PVC w/shear bands	EA	10	\$	\$
339	4" Fernco Boots PVC to PVC w/shear bands	EA	10	\$	\$
340	6" Fernco Boots PVC to PVC w/shear bands	EA	10	\$	\$
341	8" Fernco Hulk Universal Coupler	EA	2	\$	\$
342	10" Fernco Hulk Universal Coupler	EA	2	\$	\$
343	12" Fernco Hulk Universal Coupler	EA	2	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description	Unit	QTY	Unit Price	Total Price
	Hymax Couplers				
344	8" Krausz Hymax 2 Flip Coupling	EA	1	\$	\$
345	10" Krausz Hymax 2 Flip Coupling	EA	1	\$	\$
346	12" Krausz Hymax 2 Flip Coupling	EA	1	\$	\$
347	16" Krausz Hymax Coupling	EA	1	\$	\$
348	20" Krausz Hymax Coupling	EA	1	\$	\$

Item	Description	Unit	QTY	Unit Price	Total Price
	MarMac Wrap Clamps				
349	12" ID MarMac Wrap Clamp	EA	8	\$	\$
350	15" ID MarMac Wrap Clamp	EA	6	\$	\$
351	18" ID MarMac Wrap Clamp	EA	4	\$	\$
352	24" ID MarMac Wrap Clamp	EA	2	\$	\$
353	30" ID MarMac Wrap Clamp	EA	2	\$	\$
354	36" ID MarMac Wrap Clamp	EA	2	\$	\$
355	42" ID MarMac Wrap Clamp	EA	1	\$	\$
356	48" ID MarMac Wrap Clamp	EA	1	\$	\$

Item	Description	Unit	QTY	Unit Price	Total Price
	Cast Iron Frames & Covers				
357	8" Cast Iron Frame & Cover	EA	25	\$	\$
358	Low-Profile Cast-Iron Frame & Cover	EA	15	\$	\$
359	Locking Hinge Lid Cast Iron Frame & Cover	EA	10	\$	\$
360	8" Locking Lid w/Bolts	EA	10	\$	\$

Item	Description	Unit	QTY	Unit Price	Total Price
	Manhole Structure Parts				
		All parts are to be waterproof coated on outside walls			
361	30" tall 8" Inlet base w/rubber seal	EA	5	\$	\$
362	42" Wide Barrel 12" Tall	EA	2	\$	\$

CITY OF O'FALLON, MISSOURI

Item	Description Manhole Structure Parts (cont'd)	Unit	QTY	Unit Price	Total Price
363	42" Wide Barrel 16" Tall	EA	2	\$	\$
364	42" Wide Barrel 18" Tall	EA	2	\$	\$
365	42" Wide Barrel 24" Tall	EA	2	\$	\$
366	42" Wide Barrel 32" Tall	EA	2	\$	\$
367	42" Wide Barrel 48" Tall	EA	2	\$	\$
368	42" Wide Cone Top 16" Tall	EA	2	\$	\$
369	42" Wide Cone Top 24" Tall	EA	2	\$	\$
370	42" Wide Cone Top 30" Tall	EA	2	\$	\$
371	42" Wide Cone Top 32" Tall	EA	2	\$	\$
372	42" Wide Cone Top 36" Tall	EA	2	\$	\$

Item	Description	Unit	QTY	Unit Price	Total Price
	Storm Water Tops/Parts				
373	54" x 48" Inlet Flat Top w/24" Opening	EA	25	\$	\$
374	24" Cast Iron Cover w/"Drains to Stream" stamp	EA	25	\$	\$
375	Yard Drain Sill for 42" Structure	EA	5	\$	\$
376	Curb Inlet Sill for 42" Structure	EA	5	\$	\$
377	Grated Inlet Top w/Curb Hood	EA	2	\$	\$
378	Grated Inlet Top	EA	2	\$	\$
379	Grated Inlet Grates	EA	10	\$	\$

Total	Only the total of items #1 - #379 will be read at the bid opening.	\$
--------------	---	-----------

CITY OF O'FALLON, MISSOURI

RENEWAL CLAUSE:

In the event that the City of O'Fallon exercises its options to renew the contract for one (1) additional year periods pursuant to the applicable provisions outlined in this document, the Bidder shall provide below, the maximum percentages of increase or maximum percentage of decrease for each renewal period. The bidder is cautioned that the percentages shall be computed against the ORIGINAL contract/unit prices during renewal periods. Furthermore, the Bidder is advised that the City does not automatically grant increases at the time of renewing the contract.

Optional Year 1 Renewal:

1st Renewal Period Maximum % Increase over Original Year 1 Bid Price: _____ %

1st Renewal Period Maximum % Decrease over Original Year 1 Bid Price: _____ %

CITY OF O'FALLON, MISSOURI

Exception Sheet

If the item(s) and/or services proposed in the response to this bid is in any way different from that contained in this proposal or bid, the bidder is responsible to clearly identify all such differences in the space provided below. Otherwise, it will be assumed that the bidder's offer is in total compliance with all aspects of the proposal or bid.

Below are the exceptions or differences to the stated specifications (*attach additional sheets as needed*):

Item #	Brief Explanation

Date: _____

Print Name: _____

Signature: _____

Title: _____

Company: _____

CITY OF O'FALLON, MISSOURI

Signature of bidder indicates that bidder understands and will comply with all terms and conditions and all other specifications made a part of this invitation to bid and any subsequent award of contract. All terms, conditions and representations made in the invitation will become an integral part of the contract.

Acknowledge the receipt of addenda by checking below as appropriate:

Addendum 1 _____ **Addendum 2** _____ **Addendum 3** _____ **Addendum 4** _____

BID AWARD CRITERIA:

This bid will be awarded to the lowest responsive, responsible bidder meeting specifications based upon the total lump sum bid amount.

The Contractor agrees to provide the equipment, service and supplies described above and in the contract specifications under the conditions outlined in attached documents for the amount stated above.

X _____

(Signature and Title)

CORPORATE SEAL

(If available)

BID MUST BE SIGNED FOR CONSIDERATION

Subscribed and Sworn to before me this _____ day of _____ AD, 20 _____

(Notary Public) My Commission Expires: _____



CITY OF O'FALLON, MISSOURI
PURCHASING DEPARTMENT
100 North Main Street
O'Fallon, MO 63366
T: (636) 379-5527

LATE BIDS CANNOT BE ACCEPTED!



<u>SEALED BID</u>	
INVITATION #:	25-082
OPENING DATE:	11/19/2025
OPENING TIME:	2:00 P.M. CST
DESCRIPTION:	WATER & SEWER SUPPLIES
DATED MATERIAL-DELIVER IMMEDIATELY	

PLEASE CUT OUT AND AFFIX THIS BID LABEL
(ABOVE) TO THE OUTERMOST ENVELOPE OF
YOUR BID TO HELP ENSURE PROPER
DELIVERY!

LATE BIDS CANNOT BE ACCEPTED!